

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Export 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Export 340 Eiweiß- und Fettlöser flüssig

UFI: ANW5-K1XX-JQCM-P7DP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products
Professional use of general surface cleaning products
AISE-P806 Foam cleaner; Semi-Automatic with venting process
AISE-P807 Foam cleaner; Semi-Automatic without venting process

1.3. Details of the supplier of the safety data sheet

Company name:	Seeger Wasch- und Reinigungsmittel GmbH	
Street:	Schickhardtstraße 7	
Place:	D-72336 Balingen	
Post-office box:	10 09 09	
	D-72309 Balingen	
Telephone:	+49 (0)7433 9600	Telefax: +49 (0)7433 960-150
e-mail:	info@seeger-balingen.com	
Contact person:	Labor	
e-mail:	info@seeger-balingen.com	
Internet:	www.seeger-balingen.com	
Responsible Department:	Labor	

1.4. Emergency telephone number:

030-30686700

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290
Skin Corr. 1; H314
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Sodium hydroxide; caustic soda

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements

P102 Keep out of reach of children.
P234 Keep only in original packaging.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Exporit 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 2 of 13

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of containers only when they are completely empty for collection of recyclables.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Index No	REACH No	Quantity
	EC No			
	Classification (Regulation (EC) No 1272/2008)			
1310-73-2	Sodium hydroxide; caustic soda			5 - < 10 %
	215-185-5		01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318			
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts			5 - < 10 %
	307-055-2		01-2119489924-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H302 H315 H318 H412			
15763-76-5	Sodium p-cumenesulphonate			1 - < 5 %
	239-854-6		01-2119489411-37	
	Eye Irrit. 2; H319			
166736-08-9	2-Propyleneheptanol, alkoxyated			1 - < 5 %
	605-450-7			
	Acute Tox. 4, Eye Dam. 1; H302 H318			
31800-88-1	2-ethylhexanol, ethoxylated, phosphated			1 - < 5 %
	Skin Irrit. 2, Eye Dam. 1; H315 H318			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
1310-73-2	215-185-5	Sodium hydroxide; caustic soda	5 - < 10 %
		Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2	
97489-15-1	307-055-2	Sulfonic acids, C14-17-sec-alkane, sodium salts	5 - < 10 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = > 500 - 2000 mg/kg	
15763-76-5	239-854-6	Sodium p-cumenesulphonate	1 - < 5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 7000 mg/kg	
166736-08-9	605-450-7	2-Propyleneheptanol, alkoxyated	1 - < 5 %
		oral: LD50 = > 300 - 2000 mg/kg	
31800-88-1		2-ethylhexanol, ethoxylated, phosphated	1 - < 5 %
		oral: LD50 = >2000 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % anionic surfactants, < 5 % non-ionic surfactants, < 5 % polycarboxylates, < 5 % phosphonates, preservation agents (Methylchloroisothiazolinone/methylisothiazolinone).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Exporit 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 3 of 13

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Exporit 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 4 of 13

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Washing and cleaning products

Professional use of general surface cleaning products

AISE-SP311 Oven/Grill Cleaner; Spray and wipe manual process

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Export 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 5 of 13

DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
1310-73-2	Sodium hydroxide; caustic soda			
Worker DNEL, long-term		inhalation	local	1,0 mg/m³
Consumer DNEL, long-term		inhalation	local	1,0 mg/m³
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts			
Worker DNEL, acute		dermal	local	2,8 mg/cm²
Worker DNEL, long-term		dermal	systemic	5 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	35 mg/m³
Worker DNEL, long-term		dermal	local	2,8 mg/cm²
Consumer DNEL, acute		dermal	local	2,8 mg/cm²
Consumer DNEL, long-term		dermal	systemic	3,57 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	12,4 mg/m³
Consumer DNEL, long-term		oral	systemic	7,1 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	2,8 mg/cm²
15763-76-5	Sodium p-cumenesulphonate			
Worker DNEL, long-term		dermal	systemic	7,6 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	53,6 mg/m³
Consumer DNEL, long-term		dermal	systemic	3,8 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	13,2 mg/m³

PNEC values

CAS No	Name of agent	
Environmental compartment	Value	
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts	
Freshwater	0,04 mg/l	
Freshwater (intermittent releases)	0,06 mg/l	
Marine water	0,004 mg/l	
Freshwater sediment	9,4 mg/kg	
Marine sediment	0,94 mg/kg	
Micro-organisms in sewage treatment plants (STP)	600 mg/l	
Soil	9,4 mg/kg	
15763-76-5	Sodium p-cumenesulphonate	
Freshwater	0,23 mg/l	
Freshwater (intermittent releases)	2,3 mg/l	
Marine water	0,023 mg/l	
Freshwater sediment	0,862 mg/kg	
Marine sediment	0,086 mg/kg	
Micro-organisms in sewage treatment plants (STP)	100 mg/l	
Soil	0,037 mg/kg	

8.2. Exposure controls

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Exporit 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 6 of 13



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side protection (EN 166)

Hand protection

Suitable gloves type

Protective gloves (EN 374), alkali-resistant

Suitable material:

Butyl caoutchouc (butyl rubber)

Thickness of the glove material: $\geq 0,5$ mm

Breakthrough time: > 480 min

NBR (Nitrile rubber)

Thickness of the glove material: $\geq 0,4$ mm

Breakthrough time: > 480 min

PVC (polyvinyl chloride)

Thickness of the glove material: $\geq 0,5$ mm

Breakthrough time: > 480 min

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing. (EN 13034). Alkali-resistant

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Combination filtering device

Recommended filter type: P2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	light yellow	
Odour:	sweetish	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		100 °C
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		not determined
Decomposition temperature:		not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Exporit 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 7 of 13

pH-Value (at 20 °C):	13,8
Water solubility:	easily soluble
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density (at 20 °C):	1,14 g/cm ³
Relative vapour density:	not determined

9.2. Other information**Information with regard to physical hazard classes**

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Viscosity / dynamic:

<30 mPa·s

(at 20 °C)

SECTION 10: Stability and reactivity**10.1. Reactivity**

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidising agent.

10.4. Conditions to avoid

none

10.5. Incompatible materials

Keep away from: Acid, Oxidising agent, Peroxides.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Exporit 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 8 of 13

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts				
	oral	LD50 > 500 - 2000 mg/kg	Rat	OECD 401	
	dermal	LD50 > 2000 mg/kg	Mouse		
15763-76-5	Sodium p-cumenesulphonate				
	oral	LD50 > 7000 mg/kg	Rat	OECD 401	
	dermal	LD50 > 2000 mg/kg	Rabbit		
166736-08-9	2-Propyleneheptanol, alkoxylated				
	oral	LD50 > 300 - 2000 mg/kg	Rat		OECD 423
31800-88-1	2-ethylhexanol, ethoxylated, phosphated				
	oral	LD50 > 2000 mg/kg	Rat		

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Exporit 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 9 of 13

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1310-73-2	Sodium hydroxide; caustic soda					
	Acute fish toxicity	LC50 125 mg/l	96 h	Gambusia affinis (Mosquito fish)		
	Acute crustacea toxicity	EC50 40,4 mg/l	48 h	Ceriodaphnia spec		
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts					
	Acute fish toxicity	LC50 8,4 mg/l	96 h	Leuciscus idus (golden orfe)		OECD 203
	Acute algae toxicity	ErC50 mg/l > 61	72 h	Scenedesmus subspicatus		OECD 201
	Acute crustacea toxicity	EC50 9,81 mg/l	48 h	Daphnia magna		OECD 202
15763-76-5	Sodium p-cumenesulphonate					
	Acute fish toxicity	LC50 mg/l > 1000	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 mg/l > 230	96 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l > 1000	48 h	Daphnia magna (Big water flea)		
	Algae toxicity	NOEC 31 mg/l	4 d	algae		
	Acute bacteria toxicity	(EC50 mg/l) 1000	3 h	Activated sludge		
166736-08-9	2-Propyleneheptanol, alkoxyated					
	Acute fish toxicity	LC50 100 mg/l > 10 -	96 h	Danio rerio (zebrafish)		OECD 203
	Acute crustacea toxicity	EC50 mg/l > 1 - 10	48 h	Daphnia magna (Big water flea)		OECD 202
31800-88-1	2-ethylhexanol, ethoxylated, phosphated					
	Acute crustacea toxicity	EC50 79 mg/l	48 h	Daphnia magna (Big water flea)		

12.2. Persistence and degradability

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Exporit 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 10 of 13

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	78%	28	
	Readily biodegradable (according to OECD criteria).			
	OECD 301E/ EEC 92/69/V, C.4-B	89%	28	
	Readily biodegradable (according to OECD criteria).			
	OECD 303/ EEC 92/69/V, C10	96,2	34	
	Biodegradable.			
15763-76-5	Sodium p-cumenesulphonate			
	OECD 301B	99,8%	28	
	Readily biodegradable (according to OECD criteria).			
166736-08-9	2-Propyleneheptanol, alkoxylated			
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D ()	> 60%	28	
	Readily biodegradable (according to OECD criteria).			
31800-88-1	2-ethylhexanol, ethoxylated, phosphated			
	DOC reduction	66%	28	
	Readily biodegradable (according to OECD criteria).			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	>60%		

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
15763-76-5	Sodium p-cumenesulphonate	-1,1

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Export 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 11 of 13

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 1824
<u>14.2. UN proper shipping name:</u>	SODIUM HYDROXIDE SOLUTION
<u>14.3. Transport hazard class(es):</u>	8
<u>14.4. Packing group:</u>	II
Hazard label:	8
	
Classification code:	C5
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	UN 1824
<u>14.2. UN proper shipping name:</u>	SODIUM HYDROXIDE SOLUTION
<u>14.3. Transport hazard class(es):</u>	8
<u>14.4. Packing group:</u>	II
Hazard label:	8
	
Classification code:	C5
Limited quantity:	1 L
Excepted quantity:	E2

Marine transport (IMDG)

<u>14.1. UN number or ID number:</u>	UN 1824
<u>14.2. UN proper shipping name:</u>	SODIUM HYDROXIDE, SOLUTION
<u>14.3. Transport hazard class(es):</u>	8
<u>14.4. Packing group:</u>	II
Hazard label:	8
	
Special Provisions:	-
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number or ID number:</u>	UN 1824
<u>14.2. UN proper shipping name:</u>	SODIUM HYDROXIDE, SOLUTION
<u>14.3. Transport hazard class(es):</u>	8
<u>14.4. Packing group:</u>	III
Hazard label:	8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Exporit 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 12 of 13



Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y841	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:		852
IATA-max. quantity - Passenger:		5 L
IATA-packing instructions - Cargo:		856
IATA-max. quantity - Cargo:		60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2004/42/EC (VOC): 1,1 % (12,54 g/l)

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC
 Regulation (EC) No. 648/2004 [Detergents regulation]

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2, 12.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Exporit 340 Eiweiß- und Fettlöser flüssig

Revision date: 03.12.2021

Product code: 2471

Page 13 of 13

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)